

Available online at www.sciencedirect.com**SciVerse ScienceDirect**

Procedia Computer Science 17 (2013) 1284 – 1285

Procedia
 Computer Science

Information Technology and Quantitative Management (ITQM2013)

Mobile Cloud Computing Network Attack and Defense Learning System Based on Fuzzy Soft Sets

Ye Wang^{a,*}, Zengliang Liu^b, Zhao Du^c, Yong Huang^a^a*School of Automation, University of Science and Technology Beijing, Beijing 100083, China*^b*China Institute of Information Operation, National Defense University, Beijing 100091, China*^c*Information Technology Center, Tsinghua University, Beijing, 100084 China***Corrigendum on:***3.2. Build Table of Fuzzy Soft Set*

Table 2. Fuzzy Soft Set

U	V_1	V_2	V_3	V_4
V_1	4	2	2	3
V_2	2	4	1	2
V_3	2	3	4	3
V_4	1	3	1	4

3.3. Ranking Method of Fuzzy Soft Set

Table 3. Ranking Result

U	R_i	T_j	S_i
V_1	11	9	2
V_2	9	12	-3
V_3	12	8	4
V_4	9	12	-3

* Corresponding author. Tel.: +0-86(0)-010-66772122; Mobile:+0-13810746589.
 E-mail address: yewang_ustb@163.com

Then, $S_3 = \text{Max}S_i = 4$, so the first stop of the virtual machine is V_3 , next is V_1 , the ranking is V_3, V_1, V_2 or V_4 .

3.4. Acknowledgements

The authors think two professors for their constructive comments. (Prof.O. R. Sayed(Department of Mathematics, Faculty of Science, Assiut University, Assiut 71516, Egypt) and Prof.A. M. Khalil(Department of Mathematics, Faculty of Science, Al-Azhar University, Assiut 71524, Egypt)). This work was supported by National Natural Science Foundation of China (No. 90818025).